
# 

### SPECIFICATION SHEET

**IP29 Series** 

Hood

## **IP29 SERIES RANGE HOOD**



٤١

**ATDIP Series** 

**Drywall Trim Kit** 

(Optional)

50 (43.117. Rood)

(Sailin. hood)

#### Offers modern styling, high performance, and durable construction to meet the needs of professional-quality residential cooktops.

A complete installation requires several optional components. Refer to pages 2 & 3 when planning your installation.

#### **FEATURES**

HOOD:

- Widths available 42" & 54" •
- Professional Grade Stainless Steel (Type 304 or equivalent)
- Evolution<sup>™</sup> stainless steel baffle filters with removable . mesh element - easily accessible, dishwasher safe
- Four-setting cooktop lighting (Uses 50W, GU10 halogen lamps.

42" wide hood = 6 lamps, 54" wide hood = 8 lamps. Bulbs included.)

- Four-speed push button blower control
- Exclusive, Heat Sentry™ turns blower ON to HIGH speed when excess heat is detected
- Air refresh feature runs the blower at low speed for 10 minutes every 50 minutes
- Exclusive Intelligent Linking system, uses Insteon technology to communicate with other Best and Broan equipped or specified product
- Filter maintenance indicator shows when to clean filters
- Exclusive A.S.C. (Automatic Sensor Control) uses particulate detection to activate blower when effluents from cooking are sensed

#### DECORATIVE FLUE EXTENSION:

- AEIP Series (Optional)
- Professional Grade Stainless Steel (Type 304 or equivalent)
- Widths 42" and 54"
- Height 12", 18", 24", and 30" •


DECORATIVE DRYWALL TRIM KIT:

#### ATDIP Series (Optional)

- Professional Grade Stainless Steel (Type 304 or equivalent) Widths - 42" and 54"
- SPECIFICATION:
- 120 VAC, 60 Hz. •

2.5 Amps (without blower - 42" width) 3.3 Amps (without blower - 54" width)





18

<del>ک</del>ې . ۲

**AEIP Series** 

**Decorative Flue** 

(Optional)

A3. in. ho

REFERENCE	QTY.	REMARKS	Project	
			Location	
			Architect	
			Engineer	
			Contractor	
			Submitted By	Date

12.18.

24.

5

30

